

Author index

- Amstrup, J. *see* Nielsen, C.U.
 Amtorp, O. *see* Sander, M.
 Andersson, E.A. *see* Huang, Q.-M.
- Bányász, T. *see* Fülöp, L.
 Baranczuk, E. *see* Langfort, J.
 Benton, C.R. *see* Bonen, A.
 Binas, B. *see* Glatz, J.F.C.
 Birk, J.B. *see* Wojtaszewski, J.F.P.
 Boberg, B. *see* Sander, M.
 Bogdanova, A. *see* Nikinmaa, M.
 Bonen, A., Benton, C.R., Campbell, S.E., Chabowski, A., Clarke, D.C., Han, X.-X., Glatz, J.F.C. & Luiken, J.J.F.P. Plasmalemmal fatty acid transport is regulated in heart and skeletal muscle by contraction, insulin and leptin, and in obesity and diabetes, 347
 Bonen, A. *see* Glatz, J.F.C.
 Booth, F.W. *see* Spangenburg, E.E.
 Bowles, D.K. & Wamhoff, B.R. Coronary smooth muscle adaptation to exercise: does it play a role in cardioprotection?, 117
 Brodin, B. *see* Nielsen, C.U.
- Campbell, S.E. *see* Bonen, A.
 Carson, L.D. & Korzick, D.H. Dose-dependent effects of acute exercise on PKC levels in rat heart: is PKC the heart's prophylactic?, 97
 Chabowski, A. *see* Bonen, A.
 Clarke, D.C. *see* Bonen, A.
 Combes, S. *see* Ducomps, C.
 Constant, S. *see* Ruderman, N.B.
 Cooney, G.J. *see* Hegarty, B.D.
 Csernoch, L. *see* Fülöp, L.
- Darche, B. *see* Ducomps, C.
 De Luca, V. *see* Monda, M.
 Dean, D. *see* Ruderman, N.B.
 Dohi, K. *see* Miles, M.P.
 Donsmark, M. *see* Langfort, J.
 Doutreloux, J.P. *see* Ducomps, C.
 Ducomps, C., Mauriège, P., Darche, B., Combes, S., Lebas, F. & Doutreloux, J.P. Effects of jump training on passive mechanical stress and stiffness in rabbit skeletal muscle: role of collagen, 215
- Erlanson-Albertsson, C. The role of uncoupling proteins in the regulation of metabolism, 405
- Fich, A. *see* Odes, H.S.
 Fihn, B.-M., Sjöqvist, A. & Jodal, M. Involvement of enteric nerves in permeability changes due to deoxycholic acid in rat jejunum *in vivo*, 241
 Fihn, B.-M. *see* Sun, Y.
 Finni, T. *see* Ishikawa, M.
 Fraser, G.M. *see* Odes, H.S.
 Frokjaer, S. *see* Nielsen, C.U.
 Frøsig, C. *see* Richter, E.A.
 Frøsig, C. *see* Wojtaszewski, J.F.P.
 Fukunaga, T. *see* Kubo, K.
- Fülöp, L., Szigeti, G., Magyar, J., Szentandrassy, N., Ivanics, T., Miklós, Z., Ligeti, L., Kovács, A., Szénási, G., Csernoch, L., Nánási, P.P. & Bányász, T. Differences in electrophysiological and contractile properties of mammalian cardiac tissues bathed in bicarbonate – and HEPES-buffered solutions, 11
 Furler, S.M. *see* Hegarty, B.D.
- Galbo, H. *see* Langfort, J.
 Gilde, A.J. & Van Bilsen, M. Peroxisome proliferator-activated receptors (PPARs): regulators of gene expression in heart and skeletal muscle, 425
 Gjerde, E.-A.B., Karlsen, T.V. & Reed, R.K. Lowering of interstitial fluid pressure in rat trachea after substance P alone and in combination with calcitonin gene-related peptide, 123
 Glatz, J.F.C., Schaap, F.G., Binas, B., Bonen, A., van der Vusse, G.J. & Luiken, J.J.F.P. Cytoplasmic fatty acid-binding protein facilitates fatty acid utilization by skeletal muscle, 367
 Glatz, J.F.C. *see* Bonen, A.
 Goodyear, L.J. *see* Musi, N.
 Górski, J. *see* Langfort, J.
 Grove, D.S. *see* Miles, M.P.
 Guberman, R. *see* Odes, H.S.
- Hamada, T., Sale, D.G., MacDougall, J.D. & Tarnopolsky, M.A. Interaction of fibre type, potentiation and fatigue in human knee extensor muscles, 165
 Hamilton, J.A. *see* Pownall, H.J.
 Han, X.-X. *see* Bonen, A.
 Hedenstierna, G. *see* Hjøberg, J.
 Hegarty, B.D., Furler, S.M., Ye, J., Cooney, G.J. & Kraegen, E.W. The role of intramuscular lipid in insulin resistance, 373
 Hjøberg, J., Högman, M. & Hedenstierna, G. Hyperosmolarity decreases the relaxing potency of sodium nitroprusside on guinea-pig trachea by the release of superoxide anions, 279
 Högman, M. *see* Hjøberg, J.
 Holm, C. *see* Langfort, J.
 Huang, Q.-M., Andersson, E.A. & Thorstensson, A. Specific phase related patterns of trunk muscle activation during lateral lifting and lowering, 41
- Iemitsu, M. *see* Tanabe, T.
 Ihlemann, J. *see* Langfort, J.
 Irukayama-Tomobe, Y. *see* Tanabe, T.
 Ishikawa, M., Finni, T. & Komi, P.V. Behaviour of vastus lateralis muscle–tendon during high intensity SSC exercises *in vivo*, 205
 Ivanics, T. *see* Fülöp, L.
- Jana, K. *see* Manna, I.
 Jensen, M.D. Fate of fatty acids at rest and during exercise: regulatory mechanisms, 385
 Jodal, M. *see* Fihn, B.-M.
 Jodal, M. *see* Sun, Y.
 Jørgensen, S.B. *see* Richter, E.A.
 Jørgensen, S.B. *see* Wojtaszewski, J.F.P.

- Kanehisa, H. *see* Kubo, K.
Karlsen, T.V. *see* Gjerde, E.-A.B.
Kaushik, V. K. *see* Ruderman, N.B.
Kavianipour, M., Ronquist, G., Wikström, G. & Waldenström, A. Ischaemic preconditioning alters the energy metabolism and protects the ischaemic myocardium in a stepwise fashion, 129
Kiens, B. & Roepstorff, C. Utilization of long-chain fatty acids in human skeletal muscle during exercise, 391
Kiil, F. & Sejersted, O.M. Analysis of energy metabolism and mechanism of loop diuretics in the thick ascending limb of Henle's loop in dog kidneys, 73
Kinoshita, S., Yano, H. & Tsuji, E. An increase in damaged hepatocytes in rats after high intensity exercise, 225
Klip, A. *see* Michelle Furtado, L.
Klip, A. *see* Rudich, A.
Knardahl, S. *see* Matre, D.
Komi, P.V. *see* Ishikawa, M.
Korzick, D.H. *see* Carson, L.D.
Koska, J., Rovinsky, J., Zimanova, T. & Vidas, M. Growth hormone and prolactin responses during partial and whole body warm-water immersions, 19
Kovács, A. *see* Fülöp, L.
Kraegen, E.W. *see* Hegarty, B.D.
Kraemer, W.J. *see* Miles, M.P.
Kubo, K., Kanehisa, H., Miyatani, M., Tachi, M. & Fukunaga, T. Effect of low-load resistance training on the tendon properties in middle-aged and elderly women, 25
Langfort, J., Donsmark, M., Ploug, T., Holm, C. & Galbo, H. Hormone-sensitive lipase in skeletal muscle: regulatory mechanisms, 397
Langfort, J., Ploug, T., Ihlemann, J., Baranczuk, E., Donsmark, M., Górski, J. & Galbo, H. Additivity of adrenaline and contractions on hormone-sensitive lipase, but not on glycogen phosphorylase, in rat muscle, 51
Larsen, A.H. *see* Vedsted, P.
Leach, S.K. *see* Miles, M.P.
Lebas, F. *see* Ducomps, C.
Lecklin, T. *see* Nikinmaa, M.
Ligeti, L. *see* Fülöp, L.
Luiken, J.J.F.P. *see* Bonen, A.
Luiken, J.J.F.P. *see* Glatz, J.F.C.
MacDonald, C. *see* Wojtaszewski, J.F.P.
MacDougall, J.D. *see* Hamada, T.
Madsen, K. *see* Vedsted, P.
Maeda, S. *see* Tanabe, T.
Magyar, J. *see* Fülöp, L.
Manna, I., Jana, K. & Samanta, P.K. Effect of intensive exercise-induced testicular gametogenic and steroidogenic disorders in mature male Wistar strain rats: a correlative approach to oxidative stress, 33
Marx, J.O. *see* Miles, M.P.
Mastro, A.M. *see* Miles, M.P.
Matre, D. & Knardahl, S. Sympathetic nerve activity does not reduce proprioceptive acuity in humans, 261
Matsuda, M. *see* Tanabe, T.
Mauriège, P. *see* Ducomps, C.
Maynard, E.B. *see* Thompson, H.S.
Michelle Furtado, L., Poon, V. & Klip, A. GLUT4 activation: thoughts on possible mechanisms, 287
Miklós, Z. *see* Fülöp, L.
Miles, M.P., Kraemer, W.J., Nindl, B.C., Grove, D.S., Leach, S.K., Dohi, K., Marx, J.O., Volek, J.S. & Mastro, A.M. Strength, workload, anaerobic intensity and the immune response to resistance exercise in women, 155
Miyatani, M. *see* Kubo, K.
Miyachi, T. *see* Tanabe, T.
Monda, M., Viggiano, A. & De Luca, V. An aversive diet as thiamine-free food blocks food-induced release of excitatory amino acids in the accumbens, 197
Morales, E.R. *see* Thompson, H.S.
Musí, N. & Goodyear, L.J. AMP-activated protein kinase and muscle glucose uptake, 337
Nánási, P.P. *see* Fülöp, L.
Nielsen, C.U., Amstrup, J., Nielsen, R., Steffansen, B., Frokjaer, S. & Brodin, B. Epidermal growth factor and insulin short-term increase hPepT1-mediated glycylsarcosine uptake in Caco-2 cells, 139
Nielsen, J.N. & Richter, E.A. Regulation of glycogen synthase in skeletal muscle during exercise, 309
Nielsen, J.N. *see* Richter, E.A.
Nielsen, R. *see* Nielsen, C.U.
Nikinmaa, M., Bogdanova, A. & Lecklin, T. Oxygen dependency of the adrenergic Na/H exchange in rainbow trout erythrocytes is diminished by a hydroxyl radical scavenger, 149
Nindl, B.C. *see* Miles, M.P.
Nygren, E. *see* Wang, Q.-D.
Odes, H.S., Smirnoff, P., Guberman, R., Pollak-Charcon, S., Sperber, A.D., Fich, A., Fraser, G.M. & Schwartz, B. Cystic fibrosis transmembrane conductance regulator and Na⁺ channel subunits mRNA transcripts, and Cl⁻ efflux, show a different distribution in rat duodenum and colon, 231
Ohmori, H. *see* Tanabe, T.
Park, H. *see* Ruderman, N.B.
Pestana, M. *see* Sampaio-Maia, B.
Ploug, T. *see* Langfort, J.
Pollak-Charcon, S. *see* Odes, H.S.
Poon, V. *see* Michelle Furtado, L.
Pownall, H.J. & Hamilton, J.A. Energy translocation across cell membranes and membrane models, 357
Prentki, M. *see* Ruderman, N.B.
Ravn, J.B. *see* Sander, M.
Reed, R.K. *see* Gjerde, E.-A.B.
Richter, E.A., Nielsen, J.N., Jørgensen, S.B., Frøsig, C. & Wojtaszewski, J.F.P. Signalling to glucose transport in skeletal muscle during exercise, 329
Richter, E.A. *see* Nielsen, J.N.
Richter, E.A. *see* Wojtaszewski, J.F.P.
Roepstorff, C. *see* Kiens, B.
Ronquist, G. *see* Kavianipour, M.
Rovinsky, J. *see* Koska, J.
Ruderman, N.B., Park, H., Kaushik, V.K., Dean, D., Constant, S., Prentki, M. & Saha, A.K. AMPK as a metabolic switch in rat muscle, liver and adipose tissue after exercise, 435
Rudich, A. & Klip, A. Push/pull mechanisms of GLUT4 traffic in muscle cells, 297

Author index

- Saha, A.K. *see* Ruderman, N.B.
 Sale, D.G. *see* Hamada, T.
 Samanta, P.K. *see* Manna, I.
 Sampaio-Maia, B., Serrão, P., Vieira-Coelho, M.A. & Pestana, M. Differences in the renal dopaminergic system activity between Wistar rats from two suppliers, 83
 Sander, M., Welling, K.-L.K., Ravn, J.B., Boberg, B. & Amtorp, O. Endogenous NO does not regulate baseline pulmonary pressure, but reduces acute pulmonary hypertension in dogs, 269
 Schaap, F.G. *see* Glatz, J.F.C.
 Schwartz, B. *see* Odes, H.S.
 Scordilis, S.P. *see* Thompson, H.S.
 Sejersted, O.M. *see* Kiil, F.
 Serrão, P. *see* Sampaio-Maia, B.
 Sjøgaard, G. *see* Vedsted, P.
 Sjöqvist, A. *see* Fihn, B.-M.
 Sjövall, H. *see* Sun, Y.
 Smirnov, P. *see* Odes, H.S.
 Spangenburg, E.E. & Booth, F.W. Molecular regulation of individual skeletal muscle fibre types, 413
 Sperber, A.D. *see* Odes, H.S.
 Spriet, L.L. & Watt, M.J. Regulatory mechanisms in the interaction between carbohydrate and lipid oxidation during exercise, 443
 Starnes, J.W. *see* Taylor, R.P.
 Steffansen, B. *see* Nielsen, C.U.
 Sun, Y., Fihn, B.-M., Jodal, M. & Sjövall, H. Effects of nicotinic receptor blockade on the colonic mucosal response to luminal bile acids in anaesthetized rats, 251
 Szénási, G. *see* Fülöp, L.
 Szentandrassy, N. *see* Fülöp, L.
 Szigeti, G. *see* Fülöp, L.
 Tachi, M. *see* Kubo, K.
 Takanashi, M. *see* Tanabe, T.
 Tanabe, T., Maeda, S., Miyauchi, T., Iemitsu, M., Takanashi, M., Irukayama-Tomobe, Y., Yokota, T., Ohmori, H. & Matsuda, M. Exercise training improves ageing-induced decrease in eNOS expression of the aorta, 3
 Tarnopolsky, M.A. *see* Hamada, T.
 Taylor, R.P. & Starnes, J.W. Age, cell signalling and cardioprotection, 107
 Thompson, H.S., Maynard, E.B., Morales, E.R. & Scordilis, S.P. Exercise-induced HSP27, HSP70 and MAPK responses in human skeletal muscle, 61
 Thorstensson, A. *see* Huang, Q.-M.
 Tsuji, E. *see* Kinoshita, S.
 Van Bilsen, M. *see* Gilde, A.J.
 Vedsted, P., Larsen, A.H., Madsen, K. & Sjøgaard, G. Muscle performance following fatigue induced by isotonic and quasi-isometric contractions of rat extensor digitorum longus and soleus muscles *in vitro*, 175
 Vieira-Coelho, M.A. *see* Sampaio-Maia, B.
 Vigas, M. *see* Koska, J.
 Viggiano, A. *see* Monda, M.
 Volek, J.S. *see* Miles, M.P.
 van der Vusse, G.J. *see* Glatz, J.F.C.
 Waldenström, A. *see* Kavianipour, M.
 Wamhoff, B.R. *see* Bowles, D.K.
 Wang, Q.-D. & Nygren, E. Various inotropic effects of angiotensin II in post-ischaemic rat hearts depending on ischaemic time with possible involvement of protein kinase C, 189
 Watt, M.J. *see* Spriet, L.L.
 Welling, K.-L.K. *see* Sander, M.
 Wikström, G. *see* Kavianipour, M.
 Wojtaszewski, J.F.P., Jørgensen, S.B., Frøsig, C., MacDonald, C., Birk, J.B. & Richter, E.A. Insulin signalling: effects of prior exercise, 321
 Wojtaszewski, J.F.P. *see* Richter, E.A.
 Yano, H. *see* Kinoshita, S.
 Ye, J. *see* Hegarty, B.D.
 Yokota, T. *see* Tanabe, T.
 Zimanova, T. *see* Koska, J.

THE
JOURNAL
OF
THE
ROYAL
ANTHROPOLOGICAL
INSTITUTE
OF GREAT
BRITAIN
AND IRELAND
PART I
1901

Subject index

- AADC, 83
 accumbens nucleus, 197
 acetylcarnitine, 391
 action potentials, 11
 acyl CoAs, 373
 adaptation, 413
 adipogenesis, 357
 adrenaline, 309, 397
 adrenergic stimulation, 149
 aged rat, 3
 ageing, 107
 AICAR, 337
 airway reactivity, 279
 airways, 123
 5-aminimidazole 4-carboxamide riboside, 435
 AMP-activated protein kinase, 309, 329
 AMPK, 321, 337
 angiotensin, 189
 antioxidant enzymes, 33
 aspartic acid, 197
 atherosclerosis, 117
 ATP, 405

 B cells, 155
 bicarbonate, 11
 biceps brachii, 61
 bile acid, 241
 bile acid malabsorption, 251
 biopsy, 129
 biventricular bypass, 269
 blood pressure, 83
 bumetanide, 73

 calcineurin, 413
 calcitonin gene-related peptide, 123
 calcium channels, 117
 cAMP, 397
 carbachol, 279
 carbohydrate, 443
 cardiac cells, 11
 cardiac muscle, 425
 cardioprotection, 97
 ceramide, 373
 Cl⁻, 231
 cold pressor test, 261
 colon, 251
 contraction, 329, 337
 co-ordination, 41
 cortical actin, 297
 cystic fibrosis, 231
 cytoskeleton, 297
 cytosolic Ca²⁺, 11

 dopamine, 83
 dietary fat, 373
 diacylglycerol, 373

 eating behaviour, 197
 elderly, 25

 electromyography, 41
 electrophysiology, 11
 endothelium, 3
 energy, 405
 enteric nervous system, 241, 251
 epidermal growth factor, 139
 ethacrynic acid, 73
 exercise, 51, 97, 215, 391, 397, 435, 443
 exercise intensity, 225
 exercise-induced muscle damage, 61
 exocytosis, 297
 extracellular signal regulated kinase (ERK), 397

 FABPpm, 347
 FABP null mice, 367
 fascicle, 205
 fat, 443
 FAT/CD36, 347
 FATP, 347
 fatty acid, 357, 425
 fatty acid-binding protein, 367
 fatty acid oxidation, 367, 435
 fatty acid uptake, 367
 fatty acid tracers, 373
 fibre types, 215
 flip-flop, 357
 force, 175
 force generation, 11
 force-velocity, 175, 205
 free fatty acids, 385
 free oxygen radical, 405

 gender, 391
 giant vesicles, 347
 glucose, 261
 glucose transport, 287
 glucose uptake, 321, 337
 GLUT4 translocation, 287
 glutamic acid, 197
 glutamic-oxaloacetic transaminase, 225
 glutamic-pyruvic transaminase, 225
 glycerol 3-phosphate acyltransferase, 435
 glycerolipid synthesis, 435
 glycogen, 51, 309, 321
 glycogen synthase kinase 3, 309
 glycogen synthesis, 435
 Gly-Sar, 139
 growth hormone, 19
 guinea-pig trachea, 279

 heart, 189, 347
 heat shock protein, 107
 heat shock proteins, 61
 hepatic damaged cell, 225
 hPepT1, 139
 human, 25
 human intestinal cell line, 139

- hydroxyproline, 215
 hyperthermia, 19
 hypoxia, 269
- immersion, 19
 indinavir, 297
 infarct size, 129
 inotropy, 189
 insulin, 139
 insulin action, 287
 insulin sensitivity, 321
 intensive exercise, 33
 inter-endosomal traffic, 297
 intestinal permeability, 241
 intestine, 231
 intracellular pH, 11
 intramuscular electrodes, 41
 intramuscular triglyceride, 385
 intrinsic activity of GLUT4, 287
in vivo insulin action, 373
 ischaemia, 189
 ischaemic preconditioning, 129
 isometric contraction, 165
 isotonic, 175
 isotopic tracers, 385
- K-ATPase activity, 73
 kidney, 83
- L-arginine, 269
 lateral bending, 41
 lipid, 51
 lipids, 391
 lipolysis, 51, 385
 lithium, 73
 L-NAME, 269
 lymphocyte proliferation, 155
- malonyl CoA, 391
 malonyl coenzyme A, 435
 malonyl coenzyme A decarboxylase, 435
 mast cells, 241
 membrane ruffles, 297
 metabolism, 51, 357, 425, 443
 metformin, 337
 microcirculation, 117
 microdialysis, 129
 mitochondria, 405
 mitogen activated protein kinase, 107
 mitogen-activated protein kinase pathway, 61
 motor control, 41
 mRNA, 97
 muscle, 347, 373
 muscle action potential, 165
 muscle architecture, 215
 muscle fatigue, 175
 muscle fibre types, 51, 397
 muscle-tendon unit, 205
 myocardium, 97, 107, 129
 myosin heavy chain, 413
- Na⁺, 231
 Na, 73
 Na₂SO₄, 73
- natural killer cells, 155
 neurogenic inflammation, 123
 neuropeptides, 123
 nitric oxide, 3, 107, 241, 269, 279
 non-shivering thermogenesis, 197
 noradrenaline, 261
- obesity, 405
 oxidation, 443
 oxidative stress, 33
- p38 MAP-kinase, 329
 p38 MAPK, 287
 permeability, 251
 phenotypic modulation, 117
 PI 3-kinase, 297
 PI3K, 321
 pig, 129
 PKC, 97
 porcine, 117
 potassium channels, 117
 potential difference, 251
 power, 175
 preconditioning, 107
 prolactin, 19
 proprioception, 261
 protein, 97
 protein kinase A (PKA), 397
 protein kinase C, 329, 373
 protein kinase C (PKC), 397
 protein phosphatase 1, 309
- quasi-isometric, 175
- rabbit, 215
 rainbow trout erythrocytes, 149
 rat, 189, 197
 reactive oxygen species, 149
 recoil, 205
 renal oxygen consumption, 73
 resistance training, 25
- sensory nerve, 123
 shortening velocity, 175
 signaling, 413
 skeletal muscle, 321, 337, 367, 425
 sodium hydrogen exchanger, 107
 sodium nitroprusside, 279
 sodium proton exchange, 149
 spermatogenesis, 33
 spinal biomechanics, 41
 steroidogenesis, 33
 stretch-shortening cycle, 205
 substance P, 123
 superoxide anions, 279
 superoxide dismutase, 279
 suppliers, 83
 swimming training, 3
 sympathetic nervous system, 261
- T cells, 155
 tendinous tissue, 205
 tendon, 25
 testes, 33

Subject index

thermogenesis, 405
tracheal perfusion, 279
training, 391
transcription, 425
transmembrane conductance, 231
triacylglycerol, 51, 397
trunk, 41
twitch contraction, 165
type 2 diabetes, 337

ultrasonography, 25, 205

VAMP2, 297
vascular smooth muscle, 117
vastus lateralis, 61

Wistar rat, 83
work, 175